shaw contract group®

cloth tile collection: Design Journey: Novice & Master

tile specifications	
---------------------	--

style name style number construction fiber dye method	cloth tile 5T096 multi-level pattern cut/loop eco solution q® nylon 41% solution dyed / 59% yarn dyed	
	english	metric
pattern repeat	none	
tufted weight	38.0	1,288.42 g/m ²
gauge	1/10	39.37 per 10 cm
stitches per inch	10	39.37 per 10 cm
finished pile thickness	0.111	2.82 mm
total thickness	0.314	7.98 mm
average density	12324	22.95 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	ssp® shaw soil protection	

testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

warranties

lifetime commercial limited

installation method







mononunic quarter t

coordinating products

artisan loom, chok loom, artisan tile, plain weave tile, kit tile, chok tile, matmee tile

ashlar

environmental certification

nsf140 platinum

cradle to cradle silver certified





Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate changes without notice. shawcontractgroup.com | 1 800.257.7429

shaw contract group" roll over each term to see a definition

cloth tile

eco impacts

end of life recyclability	100% recyclable
environmental guarantee	free pick up & recycling
To recycle call 800.509.SHAW	
materials	
ingredients	
face fiber	nylon 6
dye method	41% solution dyed / 59% yarn dyed
backing	polyolefin composite
surface treatments	non c8 fluorocarban chemistry
does not contain PVC, phthalates, or PBD/PBDE	
recycled content	
total recycled content (by weight)	47.0 %
pre-consumer	33.9 %
post-consumer	13.1 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA
Meets or exceeds all local and national regulations in country of	of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent. Recycled content is calculated using system allocation, mass balance, and direct insertion. The actual recycled content in this product will likely vary. For more information email info@shawgreenedge.com.

third party certifications

MBDC cradle to cradle NSF 140 CRI green label plus USGBC LEED Good Environmental Choice Australia Singapore green label silver certified platinum certified certified glp9968 contributes certified certified 039-003

Sustainability Through Innovation" That's the Shaw Green Edge"