






Style: 5T057 bevel hexagon | Color: 55105 bleached




Style: 5T057 bevel hexagon | Color: 55595 charcoal




Style: 5T057 bevel hexagon | Color: 55763 kiln



Style: 5T057 bevel hexagon | Color: 55156 mortar



Style: 5T057 bevel hexagon | Color: 55518 pewter



Style: 5T057 bevel hexagon | Color: 55105 bleached

tile specifications

style name	bevel hexagon
style number	5T057
construction	multi-level pattern cut/loop
fiber	eco solution q® nylon
dye method	63% solution dyed/37% yarn dyed

	english	metric
pattern repeat	none	
tufted weight	26.0	881.55 g/m ²
gauge	1/12	47.24 per 10 cm
stitches per inch	10.0	39.37 per 10 cm
finished pile thickness	0.133	3.38 mm
total thickness	0.276	7.01 mm
average density	7038	13.10 kilotex
product size	24.4" h x 28.8" dia. x 14.4" side	63.20cm h x 73.15cm dia. x 36.58cm side
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	ssp® shaw soil protection	


testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

warranties

lifetime commercial limited

installation method



coordinating products

plane hexagon, linear hexagon, linear shift hexagon

environmental certification

nsf140 platinum
cradle to cradle silver certified



eco impacts

bevel hexagon

end of life

recyclability	100% recyclable
shaw closed looped recycling	100.0%
environmental guarantee	free pick up & recycling

To recycle call 800.509.SHAW

materials

ingredients

face fiber	nylon 6
dye method	63% solution dyed/37% yarn dyed
backing	polyolefin composite
surface treatments	non c8 flouorocarbon chemistry

does not contain PVC, phthalates, or PBD/PBDE

recycled content

total recycled content (by weight)	44.5 %
pre-consumer	32.0 %
post-consumer	12.5 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email info@shawgreenedge.com.

third party certifications

MBDC cradle to cradle	silver certified
NSF 140	platinum certified
CRI green label plus	certified glp9968
USGBC LEED	contributes
Building Research Establishment	certified
Good Environmental Choice Australia	certified
Good Environmental Choice New Zealand	certified
Singapore green label	certified 039-003

social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.