




tile




technique tile, vanish tile and hint tile

DESIGN IS PROCESS

# VIVIDRAL PALETTE

shaw contract group®





blend tile + hint tile

## MAKE A VIBRANT DISCOVERY

Experiments with color extracted from rust, logwood and onion skins yield a palette of raw sophistication. Naturally dyed weavings of exquisite fiber inform the patterns.


DESIGN IS PROCESS



technique tile



vanish tile



blend tile



hint tile

## TECHNIQUE • VANISH • HINT shown in technique



black tea 22516




coffee 22755



walnut hull 22750



maple 22761



beet 22880




carob 22585



tea tree 22550



birch 22170



sumac 22504



indigo 22496




logwood 22505

## BLEND



fustic indigo 25516



cutch 25755



rust 25750



lac 25761



cochineal 25880



mulberry 25585



nettle 25550




sorrel 25170



cornflower 25504



foxglove 25496



woad 25505

## product specifications

### Face weight:

#### Tile

technique: 34 oz  
hint: 34 oz  
vanish: 34 oz  
blend: 34 oz

### Fiber:

Eco Solution Q®

### Backing:

EcoWorx®



For more information on **Natural Palette** contact your local Shaw Contract Group representative, visit us at [www.shawcontractgroup.com](http://www.shawcontractgroup.com) or call 877-502-SHAW.

**shaw contract group**

© 2012 Shaw, a Berkshire Hathaway Company

## tile specifications

style name	technique tile
style number	5T022
construction	multi-level pattern cut/loop
fiber	eco solution q® nylon
dye method	65% solution dyed / 35% yarn dyed

## english

## metric

pattern repeat		
tufted weight	34.0	1,152.80 g/m <sup>2</sup>
gauge	1/12	47.24 per 10 cm
stitches per inch	11.0	43.31 per 10 cm
finished pile thickness	0.162	4.11 mm
total thickness	0.300	7.62 mm
average density	7556	14.07 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	ssp® shaw soil protection	
gsa approved product	yes	




## testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

## warranties

lifetime commercial limited

## installation method



## coordinating products

vanish tile , hint tile , blend tile

## environmental certification

nsf140 platinum  
cradle to cradle silver certified



## eco impacts

### end of life

#### recyclability

100% recyclable

#### shaw closed looped recycling

100.0%

#### environmental guarantee

free pick up &amp; recycling

To recycle call 800.509.SHAW

### materials

#### ingredients

face fiber

nylon 6

dye method

93% solution dyed / 7% yarn dyed

backing

polyolefin composite

surface treatments

non c8 fluorocarbon chemistry

does not contain PVC, phthalates, or PBD/PBDE

#### recycled content

total recycled content (by weight)

44.5 %

pre-consumer

31.1 %

post-consumer

13.4 %

bio-based/rapidly renewable content (by weight)

0.0 %

packaging

100% recyclable

country of origin (manufacturer)

USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 &amp; ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email

info@shawgreenedge.com.

### third party certifications

MBDC cradle to cradle

silver certified

NSF 140

platinum certified

CRI green label plus

certified glp9968

USGBC LEED

contributes

Building Research Establishment

certified

Good Environmental Choice Australia

certified

Good Environmental Choice New Zealand

certified

Singapore green label

certified 039-003

### social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.